



Asphalt Paver

Product Technical Sourcing Proposal
Construction Materials Equipment



Real supplier reference image. Final brand, model and appearance depend on selected quotation.

RECOMMENDED SUPPLY CONFIGURATION

Select the minimum practical configuration for Asphalt Paver only after confirming the actual duty, capacity, inputs, output quality, utilities, site conditions and acceptance test.

Product Overview, Applications & Primary Use

Tracked asphalt paver with uniform distribution and layer thickness control.

Technical sourcing approach

- Confirm the real operating duty and site conditions before comparing models.
- Compare supplier quotations against one common technical specification.
- Require a factory test, drawings, manuals and a critical-spares list.
- Plan freight, inspection, installation interfaces and after-sales support before purchase.

Applications and primary use

- Specific industrial purpose: Tracked asphalt paver with uniform distribution and layer thickness control.
- New installation sized to confirmed demand rather than maximum catalogue capacity.
- Replacement or expansion after checking physical, utility and control compatibility.
- Economical Afghan implementation using local installation and fabrication where safe.



Product-Specific Technical Specification

Selection parameter	Required function / value	Buyer or site input
Material or duty	Match the actual material and site task	Provide sample or work description
Rated capacity	Meet realistic hourly or working demand	State target and operating hours
Finished size or reach	Produce or handle the required range	Provide dimensions
Power or fuel	Match available site utilities	State supply and limits
Wear parts	Suitable material and locally maintainable design	List expected abrasive conditions
Mobility/foundation	Fit the planned installation and transport method	Provide layout and ground conditions
Dust and safety	Include essential guarding and dust control	State local operating conditions
Testing and spares	Demonstrate output and include critical launch spares	Define acceptance test

Buyer checklist and quotation requirements

- Describe the exact process, material and intended operating duty.
- State required capacity, operating hours and acceptable output quality.
- Provide product samples, drawings or technical data where applicable.
- Confirm voltage, frequency and all available utilities.
- Provide factory layout, access and environmental conditions.
- Separate equipment, tooling, freight, installation and optional items.
- Require drawings, running test, acceptance criteria and critical spares before shipment.

Final technical parameters, included accessories and acceptance criteria must be confirmed in the supplier quotation, test report and purchase contract. Do not purchase from photographs alone.

Indicative Product Pricing & Supply Guide

PRODUCT QUOTATION BASIS

Final pricing for Asphalt Paver follows the confirmed technical specification, required rating or capacity, included accessories, inspection scope, delivery terms and destination.

Supply component	Indicative planning range	Quotation basis
Main equipment	US\$3k-30k	Minimum configuration for confirmed duty
Essential tooling and accessories	US\$1k-8k	Only launch requirements
Freight and clearance	US\$2k-10k	Shipment based on complete scope
Installation, testing and spares	US\$1k-6k	Local execution where practical
Low-entry project total	US\$7k-54k	Final price follows confirmed specification

Technical sourcing and delivery process

Phase 1	Define requirement and request comparable quotations - 1 to 2 weeks
Phase 2	Technical clarification, negotiation and inspection plan - 1 to 3 weeks
Phase 3	Manufacture or refurbishment - typically 3 to 10 weeks
Phase 4	Shipping and customs clearance - typically 3 to 7 weeks
Phase 5	Local installation, training and trial operation - 1 to 3 weeks

These are non-binding planning ranges. Final product price and delivered cost depend on the confirmed specification, accessories, inspection, freight, customs, exchange rate and destination.

Sanaatchi Support & Contact

- Supplier search using one confirmed product specification
- Side-by-side technical and commercial quotation comparison
- Factory test, documentation and pre-shipment inspection coordination
- Lowest-cost practical logistics planning from China to Afghanistan
- Installation-interface, spare-parts and after-sales coordination

Sanaatchi Industrial Vision Group

Afghanistan Office: +93 779 819 820 | info@sanaatchi.com

China Office: +86 159 5171 6867 | china@sanaatchi.com

Website: www.sanaatchi.com

Supplier image references

- Supplier image reference: <https://image.made-in-china.com/2f0j00YwpkWQbKLJuA/Used-Asphalt-Paver-RP603-Good-Condition-Efficient-RP603L-Second-hand-Asphalt-Paver-RP903-RP603-RP953t-Pavimentadoras-Usadas-RP603L-Road-Construction.jpg>
- Supplier image reference: <https://image.made-in-china.com/2f0j00ZtSBRrWhEyuA/Heavy-Duty-Asphalt-Paver-for-Efficient-Pothole-Repair-Solutions.jpg>